

# Diagnostic Imaging Pathways - Lower Urinary Tract Symptoms

## Population Covered By The Guidance

This pathway provides guidance on the imaging of adult patients with lower urinary tract symptoms.

**Date reviewed: January 2012**

**Date of next review: 2017/2018**






**Published: April 2012**

## Quick User Guide


Move the mouse cursor over the **PINK** text boxes inside the flow chart to bring up a pop up box with salient points.

Clicking on the **PINK** text box will bring up the full text.

The relative radiation level (RRL) of each imaging investigation is displayed in the pop up box.

SYMBOL	RRL	EFFECTIVE DOSE RANGE
	None	0
	Minimal	< 1 millisieverts
	Low	1-5 mSv
	Medium	5-10 mSv
	High	>10 mSv


## Pathway Diagram



## Image Gallery

*Note: These images open in a new page*

1



### Prostatitis

Image 1 (Ultrasound): Bulky prostate of approximately 49mL.

2



### Neurogenic Bladder

Image 2 (Ultrasound): Thick-walled bladder consistent with neurogenic bladder.

## Teaching Points



- Lower Urinary Tract symptoms (LUTS) may be irritative and/or obstructive
- Ultrasound is indicated in all patients to assess the upper tracts (for hydronephrosis) and the bladder post-void residual volume
- MSU is performed routinely
- Cystoscopy may be required
- If there is a suspicion of urinary calculi, non-contrast enhanced CT scan may be performed

## Examinations

- [Lower Urinary Tract Symptoms \(LUTS\)](#)
- [Ultrasound](#)
- [Intravenous Pyelogram \(IVP\)](#)

## Intravenous Pyelogram (IVP)

- Routine use is not indicated in every patient with symptoms of lower urinary tract symptoms [1,5,6](#)
- Indicated in patients with other associated findings such as [1,2](#)
  - Stones on plain films
  - Haematuria
  - Atypical history
- Imaging of upper urinary tract with IVP allows [1](#)
  - Determination of the presence, degree and cause of upper urinary tract obstruction (hydronephrosis)
  - Evaluation of the bladder
  - Detection of incidental upper tract (renal or ureteral) malignancies or stones
- Limitations - less sensitive for evaluation of lower urinary tract
- Disadvantages - requires the use of contrast agent and involves exposure to ionising radiation

## Lower Urinary Tract Symptoms (LUTS)

- Lower urinary tract symptoms (LUTS) is the complex of obstructive and irritative urinary symptoms [1](#)
- Symptoms include urinary hesitancy, poor "stream", straining, frequency, incomplete bladder emptying, urgency, terminal urinary dribbling, and nocturia [1](#)
- LUTS may be caused by a variety of factors including changes in the bladder, prostate, urethra or upper urinary tract. Common causes include urinary tract infection, benign prostatic hypertrophy, urethral stricture, neurogenic bladder, bladder neck contracture, prostate and bladder cancer [1](#)
- Management of patients with LUTS is based on making a diagnosis and subjective measurements of symptom severity and bother [1](#)

## Ultrasound

- Transabdominal ultrasound is indicated in all patients with LUTS and renal insufficiency [1,2](#)
- Allows
  - Assessment of upper tract changes such as hydronephrosis
  - Determination of post-void residual [3](#)



- Superior to IVP in detecting secondary changes of the bladder outlet obstruction such as bladder wall thickening [4](#)
- Advantages - non-invasive, no ionising radiation and does not require the use of contrast agent

## References

References are graded from Level I to V according to the Oxford Centre for Evidence-Based Medicine, Levels of Evidence. [Download the document](#)

1. Grossfield GD, Coakley FV. **Benign prostatic hyperplasia: clinical overview and value of diagnostic imaging.** Radiol Clin North Am. 2000;38(1):31-47. (Review article)
2. Scheckowitz EM, Resnick MI. **Imaging of the prostate: benign prostatic hyperplasia.** Urol Clin North Am. 1995;22(2):321-32. (Review article)
3. Roehrborn CG, Chinn HK, Fulgham PF, et al. **The role of transabdominal ultrasound in the evaluation of patients with benign prostatic hypertrophy.** J Urol. 1986;135(6):1190-3. (Level II evidence). [View the reference](#)
4. Cascione CJ, Bartone FF, Hussain MB. **Transabdominal ultrasound versus excretory urography in preoperative evaluation of patients with prostatism.** J Urol. 1987;137(5):883-5. (Level II/III evidence)
5. Wasserman NF, Lapointe S, Eckmann DR, et al. **Assessment of prostatism: role of intravenous urography.** Radiology. 1987;165(3):831-5. (Level II/III evidence)
6. De Lacey G, Johnson S, Mee D. **Prostatism: how useful is routine imaging of the urinary tract?** Br Med J. 1988;296(6627):965-7. (Level II evidence). [View the reference](#)

## Information for Consumers

Information from this website	Information from the Royal Australian and New Zealand College of Radiologists' website
<p><a href="#">Consent to Procedure or Treatment</a></p> <p><a href="#">Radiation Risks of X-rays and Scans</a></p> <p><a href="#">Computed Tomography (CT)</a></p> <p><a href="#">Intravenous Pyelogram (IVP)</a></p> <p><a href="#">Ultrasound</a></p> <p><a href="#">Ultrasound (Doppler)</a></p>	<p><a href="#">Computed Tomography (CT)</a></p> <p><a href="#">Radiation Risk of Medical Imaging During Pregnancy</a></p> <p><a href="#">Radiation Risk of Medical Imaging for Adults and Children</a></p> <p><a href="#">Ultrasound</a></p>

## Copyright

© Copyright 2015, Department of Health Western Australia. All Rights Reserved. This web site and its content has been prepared by The Department of Health, Western Australia. The information contained on this web site is protected by copyright.

## Legal Notice

Please remember that this leaflet is intended as general information only. It is not definitive and The Department of Health, Western Australia can not accept any legal liability arising from its use. The information is kept as up to date and accurate as possible, but please be warned that it is always subject to change

## File Formats

Some documents for download on this website are in a Portable Document Format (PDF). To read these files you might need to download Adobe Acrobat Reader.



[Legal Matters](#)